

TempTab 700

Batch SSK

(1450-1750 C) ===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
24.36	N/A	N/A	N/A	N/A	1750.0
24.37	N/A	N/A	N/A	N/A	1749.0
24.38	N/A	N/A	N/A	N/A	1747.9
24.39	N/A	N/A	N/A	N/A	1746.9
24.40	N/A	N/A	N/A	N/A	1745.9
24.41	N/A	N/A	N/A	N/A	1744.9
24.42	N/A	N/A	N/A	N/A	1743.8
24.43	N/A	N/A	N/A	N/A	1742.8
24.44	N/A	N/A	N/A	N/A	1741.8
24.45	N/A	N/A	N/A	N/A	1740.8
24.46	N/A	N/A	N/A	N/A	1739.7
24.47	N/A	N/A	N/A	N/A	1738.7
24.48	N/A	N/A	N/A	1750.0	1737.7
24.49	N/A	N/A	N/A	1749.0	1736.6
24.50	N/A	N/A	N/A	1748.0	1735.6
24.51	N/A	N/A	N/A	1746.9	1734.6
24.52	N/A	N/A	N/A	1745.9	1733.6
24.53	N/A	N/A	N/A	1744.9	1732.5
24.54	N/A	N/A	N/A	1743.9	1731.5
24.55	N/A	N/A	N/A	1742.9	1730.5
24.56	N/A	N/A	N/A	1741.8	1729.5
24.57	N/A	N/A	N/A	1740.8	1728.4
24.58	N/A	N/A	N/A	1739.8	1727.4
24.59	N/A	N/A	N/A	1738.8	1726.4
24.60	N/A	N/A	N/A	1737.8	1725.3
24.61	N/A	N/A	N/A	1736.7	1724.3
24.62	N/A	N/A	N/A	1735.7	1723.3
24.63	N/A	N/A	N/A	1734.7	1722.3
24.64	N/A	N/A	1750.0	1733.7	1721.2
24.65	N/A	N/A	1749.0	1732.7	1720.2
24.66	N/A	N/A	1748.0	1731.6	1719.2
24.67	N/A	N/A	1747.0	1730.6	1718.2
24.68	N/A	N/A	1746.0	1729.6	1717.1
24.69	N/A	N/A	1745.0	1728.6	1716.1
24.70	N/A	N/A	1744.0	1727.6	1715.1
24.71	N/A	N/A	1743.0	1726.5	1714.0
24.72	N/A	N/A	1742.0	1725.5	1713.0
24.73	N/A	N/A	1741.0	1724.5	1712.0
24.74	N/A	N/A	1740.0	1723.5	1711.0
24.75	N/A	N/A	1739.0	1722.4	1709.9
24.76	N/A	N/A	1738.0	1721.4	1708.9
24.77	N/A	N/A	1737.0	1720.4	1707.9
24.78	N/A	N/A	1736.0	1719.4	1706.8
24.79	N/A	N/A	1735.0	1718.4	1705.8
24.80	N/A	N/A	1734.0	1717.3	1704.8
24.81	N/A	N/A	1733.0	1716.3	1703.8
24.82	N/A	N/A	1732.0	1715.3	1702.7
24.83	N/A	N/A	1731.0	1714.3	1701.7
24.84	N/A	N/A	1730.0	1713.3	1700.7
24.85	N/A	N/A	1729.0	1712.2	1699.7

**TempTab 700**

Batch SSK

**(1450-1750 C) ===== Sintering Schedule =====**

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
24.86	N/A	N/A	1728.0	1711.2	1698.6
24.87	N/A	N/A	1727.0	1710.2	1697.6
24.88	N/A	N/A	1726.0	1709.2	1696.6
24.89	N/A	1750.0	1724.0	1708.2	1695.5
24.90	N/A	1748.9	1723.0	1707.1	1694.5
24.91	N/A	1747.9	1722.0	1706.1	1693.5
24.92	N/A	1746.8	1721.0	1705.1	1692.5
24.93	N/A	1745.7	1720.0	1704.1	1691.4
24.94	N/A	1744.6	1719.0	1703.1	1690.4
24.95	N/A	1743.6	1718.0	1702.0	1689.4
24.96	N/A	1742.5	1717.0	1701.0	1688.4
24.97	N/A	1741.4	1716.0	1700.0	1687.3
24.98	N/A	1740.4	1715.0	1699.0	1686.3
24.99	N/A	1739.3	1714.0	1698.0	1685.3
<b>25.00</b>	N/A	<b>1738.2</b>	<b>1713.0</b>	<b>1696.9</b>	<b>1684.2</b>
25.01	N/A	1737.1	1712.0	1695.9	1683.2
25.02	N/A	1736.1	1711.0	1694.9	1682.2
25.03	N/A	1735.0	1710.0	1693.9	1681.2
25.04	N/A	1733.9	1709.0	1692.9	1680.1
25.05	N/A	1732.9	1708.0	1691.8	1679.1
25.06	N/A	1731.8	1707.0	1690.8	1678.1
25.07	N/A	1730.7	1706.0	1689.8	1677.1
25.08	N/A	1729.6	1705.0	1688.8	1676.0
25.09	N/A	1728.6	1704.0	1687.8	1675.0
25.10	N/A	1727.5	1703.0	1686.7	1674.0
25.11	N/A	1726.4	1702.0	1685.7	1672.9
25.12	N/A	1725.4	1701.0	1684.7	1671.9
25.13	N/A	1724.3	1700.0	1683.7	1670.9
25.14	N/A	1723.2	1699.0	1682.7	1669.9
25.15	N/A	1722.1	1698.0	1681.6	1668.8
25.16	N/A	1721.1	1697.0	1680.6	1667.8
25.17	N/A	1720.0	1696.0	1679.6	1666.8
25.18	N/A	1718.9	1695.0	1678.6	1665.8
25.19	N/A	1717.9	1694.0	1677.6	1664.7
25.20	N/A	1716.8	1693.0	1676.5	1663.7
25.21	N/A	1715.7	1692.0	1675.5	1662.7
25.22	N/A	1714.6	1691.0	1674.5	1661.6
25.23	N/A	1713.6	1690.0	1673.5	1660.6
25.24	N/A	1712.5	1689.0	1672.4	1659.6
25.25	N/A	1711.4	1688.0	1671.4	1658.6
25.26	N/A	1710.4	1687.0	1670.4	1657.5
25.27	N/A	1709.3	1686.0	1669.4	1656.5
25.28	N/A	1708.2	1685.0	1668.4	1655.5
25.29	N/A	1707.1	1684.0	1667.3	1654.5
25.30	N/A	1706.1	1683.0	1666.3	1653.4
25.31	N/A	1705.0	1682.0	1665.3	1652.4
25.32	N/A	1703.9	1681.0	1664.3	1651.4
25.33	1750.0	1702.9	1680.0	1663.3	1650.3
25.34	1748.8	1701.8	1679.0	1662.2	1649.3
25.35	1747.6	1700.7	1678.0	1661.2	1648.3

TempTab 700

Batch SSK

(1450-1750 C) ===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
25.36	1746.4	1699.6	1677.0	1660.2	1647.3
25.37	1745.2	1698.6	1676.0	1659.2	1646.2
25.38	1744.0	1697.5	1674.0	1658.2	1645.2
25.39	1742.8	1696.4	1673.0	1657.1	1644.2
25.40	1741.6	1695.4	1672.0	1656.1	1643.2
25.41	1740.4	1694.3	1671.0	1655.1	1642.1
25.42	1739.2	1693.2	1670.0	1654.1	1641.1
25.43	1738.0	1692.1	1669.0	1653.1	1640.1
25.44	1736.9	1691.1	1668.0	1652.0	1639.0
25.45	1735.7	1690.0	1667.0	1651.0	1638.0
25.46	1734.5	1688.9	1666.0	1650.0	1637.0
25.47	1733.3	1687.9	1665.0	1649.0	1636.0
25.48	1732.1	1686.8	1664.0	1648.0	1634.9
25.49	1730.9	1685.7	1663.0	1646.9	1633.9
25.50	1729.7	1684.6	1662.0	1645.9	1632.9
25.51	1728.5	1683.6	1661.0	1644.9	1631.8
25.52	1727.3	1682.5	1660.0	1643.9	1630.8
25.53	1726.1	1681.4	1659.0	1642.9	1629.8
25.54	1724.9	1680.4	1658.0	1641.8	1628.8
25.55	1723.7	1679.3	1657.0	1640.8	1627.7
25.56	1722.5	1678.2	1656.0	1639.8	1626.7
25.57	1721.3	1677.1	1655.0	1638.8	1625.7
25.58	1720.1	1676.1	1654.0	1637.8	1624.7
25.59	1718.9	1675.0	1653.0	1636.7	1623.6
25.60	1717.7	1673.9	1652.0	1635.7	1622.6
25.61	1716.5	1672.9	1651.0	1634.7	1621.6
25.62	1715.3	1671.8	1650.0	1633.7	1620.5
25.63	1714.1	1670.7	1649.0	1632.7	1619.5
25.64	1712.9	1669.6	1648.0	1631.6	1618.5
25.65	1711.8	1668.6	1647.0	1630.6	1617.5
25.66	1710.6	1667.5	1646.0	1629.6	1616.4
25.67	1709.4	1666.4	1645.0	1628.6	1615.4
25.68	1708.2	1665.4	1644.0	1627.6	1614.4
25.69	1707.0	1664.3	1643.0	1626.5	1613.4
25.70	1705.8	1663.2	1642.0	1625.5	1612.3
25.71	1704.6	1662.1	1641.0	1624.5	1611.3
25.72	1703.4	1661.1	1640.0	1623.5	1610.3
25.73	1702.2	1660.0	1639.0	1622.4	1609.2
25.74	1701.0	1658.9	1638.0	1621.4	1608.2
25.75	1699.8	1657.9	1637.0	1620.4	1607.2
25.76	1698.6	1656.8	1636.0	1619.4	1606.2
25.77	1697.4	1655.7	1635.0	1618.4	1605.1
25.78	1696.2	1654.6	1634.0	1617.3	1604.1
25.79	1695.0	1653.6	1633.0	1616.3	1603.1
25.80	1693.8	1652.5	1632.0	1615.3	1602.1
25.81	1692.6	1651.4	1631.0	1614.3	1601.0
25.82	1691.4	1650.4	1630.0	1613.3	1600.0
25.83	1690.2	1649.3	1629.0	1612.2	1599.0
25.84	1689.0	1648.2	1628.0	1611.2	1597.9
25.85	1687.8	1647.1	1627.0	1610.2	1596.9

TempTab 700

Batch SSK

(1450-1750 C) ===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
25.86	1686.7	1646.1	1626.0	1609.2	1595.9
25.87	1685.5	1645.0	1624.0	1608.2	1594.9
25.88	1684.3	1643.9	1623.0	1607.1	1593.8
25.89	1683.1	1642.9	1622.0	1606.1	1592.8
25.90	1681.9	1641.8	1621.0	1605.1	1591.8
25.91	1680.7	1640.7	1620.0	1604.1	1590.8
25.92	1679.5	1639.6	1619.0	1603.1	1589.7
25.93	1678.3	1638.6	1618.0	1602.0	1588.7
25.94	1677.1	1637.5	1617.0	1601.0	1587.7
25.95	1675.9	1636.4	1616.0	1600.0	1586.6
25.96	1674.7	1635.4	1615.0	1599.0	1585.6
25.97	1673.5	1634.3	1614.0	1598.0	1584.6
25.98	1672.3	1633.2	1613.0	1596.9	1583.6
25.99	1671.1	1632.1	1612.0	1595.9	1582.5
26.00	1669.9	1631.1	1611.0	1594.9	1581.5
26.01	1668.7	1630.0	1610.0	1593.9	1580.5
26.02	1667.5	1628.9	1609.0	1592.9	1579.5
26.03	1666.3	1627.9	1608.0	1591.8	1578.4
26.04	1665.1	1626.8	1607.0	1590.8	1577.4
26.05	1663.9	1625.7	1606.0	1589.8	1576.4
26.06	1662.8	1624.6	1605.0	1588.8	1575.3
26.07	1661.6	1623.6	1604.0	1587.8	1574.3
26.08	1660.4	1622.5	1603.0	1586.7	1573.3
26.09	1659.2	1621.4	1602.0	1585.7	1572.3
26.10	1658.0	1620.4	1601.0	1584.7	1571.2
26.11	1656.8	1619.3	1600.0	1583.7	1570.2
26.12	1655.6	1618.2	1599.0	1582.7	1569.2
26.13	1654.4	1617.1	1598.0	1581.6	1568.2
26.14	1653.2	1616.1	1597.0	1580.6	1567.1
26.15	1652.0	1615.0	1596.0	1579.6	1566.1
26.16	1650.8	1613.9	1595.0	1578.6	1565.1
26.17	1649.6	1612.9	1594.0	1577.6	1564.0
26.18	1648.4	1611.8	1593.0	1576.5	1563.0
26.19	1647.2	1610.7	1592.0	1575.5	1562.0
26.20	1646.0	1609.6	1591.0	1574.5	1561.0
26.21	1644.8	1608.6	1590.0	1573.5	1559.9
26.22	1643.6	1607.5	1589.0	1572.5	1558.9
26.23	1642.4	1606.4	1588.0	1571.4	1557.9
26.24	1641.2	1605.4	1587.0	1570.4	1556.8
26.25	1640.0	1604.3	1586.0	1569.4	1555.8
26.26	1638.8	1603.2	1585.0	1568.4	1554.8
26.27	1637.7	1602.1	1584.0	1567.3	1553.8
26.28	1636.5	1601.1	1583.0	1566.3	1552.7
26.29	1635.3	1600.0	1582.0	1565.3	1551.7
26.30	1634.1	1598.9	1581.0	1564.3	1550.7
26.31	1632.9	1597.9	1580.0	1563.3	1549.7
26.32	1631.7	1596.8	1579.0	1562.2	1548.6
26.33	1630.5	1595.7	1578.0	1561.2	1547.6
26.34	1629.3	1594.6	1577.0	1560.2	1546.6
26.35	1628.1	1593.6	1576.0	1559.2	1545.5

TempTab 700

Batch SSK

(1450-1750 C) ===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
26.36	1626.9	1592.5	1574.0	1558.2	1544.5
26.37	1625.7	1591.4	1573.0	1557.1	1543.5
26.38	1624.5	1590.4	1572.0	1556.1	1542.5
26.39	1623.3	1589.3	1571.0	1555.1	1541.4
26.40	1622.1	1588.2	1570.0	1554.1	1540.4
26.41	1620.9	1587.1	1569.0	1553.1	1539.4
26.42	1619.7	1586.1	1568.0	1552.0	1538.4
26.43	1618.5	1585.0	1567.0	1551.0	1537.3
26.44	1617.3	1583.9	1566.0	1550.0	1536.3
26.45	1616.1	1582.9	1565.0	1549.0	1535.3
26.46	1614.9	1581.8	1564.0	1548.0	1534.2
26.47	1613.7	1580.7	1563.0	1546.9	1533.2
26.48	1612.6	1579.6	1562.0	1545.9	1532.2
26.49	1611.4	1578.6	1561.0	1544.9	1531.2
26.50	1610.2	1577.5	1560.0	1543.9	1530.1
26.51	1609.0	1576.4	1559.0	1542.9	1529.1
26.52	1607.8	1575.4	1558.0	1541.8	1528.1
26.53	1606.6	1574.3	1557.0	1540.8	1527.1
26.54	1605.4	1573.2	1556.0	1539.8	1526.0
26.55	1604.2	1572.1	1555.0	1538.8	1525.0
26.56	1603.0	1571.1	1554.0	1537.8	1524.0
26.57	1601.8	1570.0	1553.0	1536.7	1522.9
26.58	1600.6	1568.9	1552.0	1535.7	1521.9
26.59	1599.4	1567.9	1551.0	1534.7	1520.9
26.60	1598.2	1566.8	1550.0	1533.7	1519.9
26.61	1597.0	1565.7	1549.0	1532.7	1518.8
26.62	1595.8	1564.6	1548.0	1531.6	1517.8
26.63	1594.6	1563.6	1547.0	1530.6	1516.8
26.64	1593.4	1562.5	1546.0	1529.6	1515.8
26.65	1592.2	1561.4	1545.0	1528.6	1514.7
26.66	1591.0	1560.4	1544.0	1527.6	1513.7
26.67	1589.8	1559.3	1543.0	1526.5	1512.7
26.68	1588.6	1558.2	1542.0	1525.5	1511.6
26.69	1587.5	1557.1	1541.0	1524.5	1510.6
26.70	1586.3	1556.1	1540.0	1523.5	1509.6
26.71	1585.1	1555.0	1539.0	1522.5	1508.6
26.72	1583.9	1553.9	1538.0	1521.4	1507.5
26.73	1582.7	1552.9	1537.0	1520.4	1506.5
26.74	1581.5	1551.8	1536.0	1519.4	1505.5
26.75	1580.3	1550.7	1535.0	1518.4	1504.5
26.76	1579.1	1549.6	1534.0	1517.3	1503.4
26.77	1577.9	1548.6	1533.0	1516.3	1502.4
26.78	1576.7	1547.5	1532.0	1515.3	1501.4
26.79	1575.5	1546.4	1531.0	1514.3	1500.3
26.80	1574.3	1545.4	1530.0	1513.3	1499.3
26.81	1573.1	1544.3	1529.0	1512.2	1498.3
26.82	1571.9	1543.2	1528.0	1511.2	1497.3
26.83	1570.7	1542.1	1527.0	1510.2	1496.2
26.84	1569.5	1541.1	1526.0	1509.2	1495.2
26.85	1568.3	1540.0	1524.0	1508.2	1494.2

TempTab 700

Batch SSK

(1450-1750 C) ===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
26.86	1567.1	1538.9	1523.0	1507.1	1493.2
26.87	1565.9	1537.9	1522.0	1506.1	1492.1
26.88	1564.7	1536.8	1521.0	1505.1	1491.1
26.89	1563.5	1535.7	1520.0	1504.1	1490.1
26.90	1562.4	1534.6	1519.0	1503.1	1489.0
26.91	1561.2	1533.6	1518.0	1502.0	1488.0
26.92	1560.0	1532.5	1517.0	1501.0	1487.0
26.93	1558.8	1531.4	1516.0	1500.0	1486.0
26.94	1557.6	1530.4	1515.0	1499.0	1484.9
26.95	1556.4	1529.3	1514.0	1498.0	1483.9
26.96	1555.2	1528.2	1513.0	1496.9	1482.9
26.97	1554.0	1527.1	1512.0	1495.9	1481.8
26.98	1552.8	1526.1	1511.0	1494.9	1480.8
26.99	1551.6	1525.0	1510.0	1493.9	1479.8
27.00	1550.4	1523.9	1509.0	1492.9	1478.8
27.01	1549.2	1522.9	1508.0	1491.8	1477.7
27.02	1548.0	1521.8	1507.0	1490.8	1476.7
27.03	1546.8	1520.7	1506.0	1489.8	1475.7
27.04	1545.6	1519.6	1505.0	1488.8	1474.7
27.05	1544.4	1518.6	1504.0	1487.8	1473.6
27.06	1543.2	1517.5	1503.0	1486.7	1472.6
27.07	1542.0	1516.4	1502.0	1485.7	1471.6
27.08	1540.8	1515.4	1501.0	1484.7	1470.5
27.09	1539.6	1514.3	1500.0	1483.7	1469.5
27.10	1538.4	1513.2	1499.0	1482.7	1468.5
27.11	1537.3	1512.1	1498.0	1481.6	1467.5
27.12	1536.1	1511.1	1497.0	1480.6	1466.4
27.13	1534.9	1510.0	1496.0	1479.6	1465.4
27.14	1533.7	1508.9	1495.0	1478.6	1464.4
27.15	1532.5	1507.9	1494.0	1477.6	1463.4
27.16	1531.3	1506.8	1493.0	1476.5	1462.3
27.17	1530.1	1505.7	1492.0	1475.5	1461.3
27.18	1528.9	1504.6	1491.0	1474.5	1460.3
27.19	1527.7	1503.6	1490.0	1473.5	1459.2
27.20	1526.5	1502.5	1489.0	1472.5	1458.2
27.21	1525.3	1501.4	1488.0	1471.4	1457.2
27.22	1524.1	1500.4	1487.0	1470.4	1456.2
27.23	1522.9	1499.3	1486.0	1469.4	1455.1
27.24	1521.7	1498.2	1485.0	1468.4	1454.1
27.25	1520.5	1497.1	1484.0	1467.3	1453.1
27.26	1519.3	1496.1	1483.0	1466.3	1452.1
27.27	1518.1	1495.0	1482.0	1465.3	1451.0
27.28	1516.9	1493.9	1481.0	1464.3	1450.0
27.29	1515.7	1492.9	1480.0	1463.3	N/A
27.30	1514.5	1491.8	1479.0	1462.2	N/A
27.31	1513.4	1490.7	1478.0	1461.2	N/A
27.32	1512.2	1489.6	1477.0	1460.2	N/A
27.33	1511.0	1488.6	1476.0	1459.2	N/A
27.34	1509.8	1487.5	1474.0	1458.2	N/A
27.35	1508.6	1486.4	1473.0	1457.1	N/A

TempTab 700

Batch SSK

(1450-1750 C) ===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
27.36	1507.4	1485.4	1472.0	1456.1	N/A
27.37	1506.2	1484.3	1471.0	1455.1	N/A
27.38	1505.0	1483.2	1470.0	1454.1	N/A
27.39	1503.8	1482.1	1469.0	1453.1	N/A
27.40	1502.6	1481.1	1468.0	1452.0	N/A
27.41	1501.4	1480.0	1467.0	1451.0	N/A
27.42	1500.2	1478.9	1466.0	1450.0	N/A
27.43	1499.0	1477.9	1465.0	N/A	N/A
27.44	1497.8	1476.8	1464.0	N/A	N/A
27.45	1496.6	1475.7	1463.0	N/A	N/A
27.46	1495.4	1474.7	1462.0	N/A	N/A
27.47	1494.2	1473.6	1461.0	N/A	N/A
27.48	1493.0	1472.5	1460.0	N/A	N/A
27.49	1491.8	1471.4	1459.0	N/A	N/A
27.50	1490.6	1470.4	1458.0	N/A	N/A
27.51	1489.4	1469.3	1457.0	N/A	N/A
27.52	1488.3	1468.2	1456.0	N/A	N/A
27.53	1487.1	1467.2	1455.0	N/A	N/A
27.54	1485.9	1466.1	1454.0	N/A	N/A
27.55	1484.7	1465.0	1453.0	N/A	N/A
27.56	1483.5	1463.9	1452.0	N/A	N/A
27.57	1482.3	1462.9	1451.0	N/A	N/A
27.58	1481.1	1461.8	1450.0	N/A	N/A
27.59	1479.9	1460.7	N/A	N/A	N/A
27.60	1478.7	1459.7	N/A	N/A	N/A
27.61	1477.5	1458.6	N/A	N/A	N/A
27.62	1476.3	1457.5	N/A	N/A	N/A
27.63	1475.1	1456.4	N/A	N/A	N/A
27.64	1473.9	1455.4	N/A	N/A	N/A
27.65	1472.7	1454.3	N/A	N/A	N/A
27.66	1471.5	1453.2	N/A	N/A	N/A
27.67	1470.3	1452.2	N/A	N/A	N/A
27.68	1469.1	1451.1	N/A	N/A	N/A
27.69	1467.9	1450.0	N/A	N/A	N/A
27.70	1466.7	N/A	N/A	N/A	N/A
27.71	1465.5	N/A	N/A	N/A	N/A
27.72	1464.3	N/A	N/A	N/A	N/A
27.73	1463.2	N/A	N/A	N/A	N/A
27.74	1462.0	N/A	N/A	N/A	N/A
27.75	1460.8	N/A	N/A	N/A	N/A
27.76	1459.6	N/A	N/A	N/A	N/A
27.77	1458.4	N/A	N/A	N/A	N/A
27.78	1457.2	N/A	N/A	N/A	N/A
27.79	1456.0	N/A	N/A	N/A	N/A
27.80	1454.8	N/A	N/A	N/A	N/A
27.81	1453.6	N/A	N/A	N/A	N/A
27.82	1452.4	N/A	N/A	N/A	N/A
27.83	1451.2	N/A	N/A	N/A	N/A
27.84	1450.0	N/A	N/A	N/A	N/A