

TempTab 700

Batch SSK

(2642-3182)

===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
24.36	N/A	N/A	N/A	N/A	3182.0
24.37	N/A	N/A	N/A	N/A	3180.2
24.38	N/A	N/A	N/A	N/A	3178.3
24.39	N/A	N/A	N/A	N/A	3176.5
24.40	N/A	N/A	N/A	N/A	3174.6
24.41	N/A	N/A	N/A	N/A	3172.8
24.42	N/A	N/A	N/A	N/A	3170.9
24.43	N/A	N/A	N/A	N/A	3169.1
24.44	N/A	N/A	N/A	N/A	3167.2
24.45	N/A	N/A	N/A	N/A	3165.4
24.46	N/A	N/A	N/A	N/A	3163.5
24.47	N/A	N/A	N/A	N/A	3161.7
24.48	N/A	N/A	N/A	3182.0	3159.8
24.49	N/A	N/A	N/A	3180.2	3158.0
24.50	N/A	N/A	N/A	3178.3	3156.1
24.51	N/A	N/A	N/A	3176.5	3154.3
24.52	N/A	N/A	N/A	3174.7	3152.4
24.53	N/A	N/A	N/A	3172.8	3150.6
24.54	N/A	N/A	N/A	3171.0	3148.7
24.55	N/A	N/A	N/A	3169.1	3146.9
24.56	N/A	N/A	N/A	3167.3	3145.0
24.57	N/A	N/A	N/A	3165.5	3143.2
24.58	N/A	N/A	N/A	3163.6	3141.3
24.59	N/A	N/A	N/A	3161.8	3139.5
24.60	N/A	N/A	N/A	3160.0	3137.6
24.61	N/A	N/A	N/A	3158.1	3135.8
24.62	N/A	N/A	N/A	3156.3	3133.9
24.63	N/A	N/A	N/A	3154.4	3132.1
24.64	N/A	N/A	N/A	3152.6	3130.2
24.65	N/A	N/A	N/A	3150.8	3128.4
24.66	N/A	N/A	N/A	3148.9	3126.5
24.67	N/A	N/A	N/A	3147.1	3124.7
24.68	N/A	N/A	N/A	3145.3	3122.8
24.69	N/A	N/A	3173.0	3143.4	3121.0
24.70	N/A	N/A	3171.2	3141.6	3119.1
24.71	N/A	N/A	3169.4	3139.8	3117.3
24.72	N/A	N/A	3167.6	3137.9	3115.4
24.73	N/A	N/A	3165.8	3136.1	3113.6
24.74	N/A	N/A	3164.0	3134.2	3111.7
24.75	N/A	N/A	3162.2	3132.4	3109.9
24.76	N/A	N/A	3160.4	3130.6	3108.0
24.77	N/A	N/A	3158.6	3128.7	3106.2
24.78	N/A	N/A	3156.8	3126.9	3104.3
24.79	N/A	N/A	3155.0	3125.1	3102.5
24.80	N/A	N/A	3153.2	3123.2	3100.6
24.81	N/A	N/A	3151.4	3121.4	3098.8
24.82	N/A	N/A	3149.6	3119.6	3096.9
24.83	N/A	N/A	3147.8	3117.7	3095.1
24.84	N/A	N/A	3146.0	3115.9	3093.2
24.85	N/A	N/A	3144.2	3114.0	3091.4

TempTab 700

Batch SSK

(2642-3182)

===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
24.86	N/A	N/A	3142.4	3112.2	3089.5
24.87	N/A	N/A	3140.6	3110.4	3087.7
24.88	N/A	N/A	3138.8	3108.5	3085.8
24.89	N/A	3182.0	3135.2	3106.7	3084.0
24.90	N/A	3180.1	3133.4	3104.9	3082.1
24.91	N/A	3178.1	3131.6	3103.0	3080.3
24.92	N/A	3176.2	3129.8	3101.2	3078.4
24.93	N/A	3174.3	3128.0	3099.3	3076.6
24.94	N/A	3172.4	3126.2	3097.5	3074.7
24.95	N/A	3170.4	3124.4	3095.7	3072.9
24.96	N/A	3168.5	3122.6	3093.8	3071.0
24.97	N/A	3166.6	3120.8	3092.0	3069.2
24.98	N/A	3164.6	3119.0	3090.2	3067.3
24.99	N/A	3162.7	3117.2	3088.3	3065.5
25.00	N/A	3160.8	3115.4	3086.5	3063.6
25.01	N/A	3158.9	3113.6	3084.7	3061.8
25.02	N/A	3156.9	3111.8	3082.8	3059.9
25.03	N/A	3155.0	3110.0	3081.0	3058.1
25.04	N/A	3153.1	3108.2	3079.1	3056.2
25.05	N/A	3151.1	3106.4	3077.3	3054.4
25.06	N/A	3149.2	3104.6	3075.5	3052.5
25.07	N/A	3147.3	3102.8	3073.6	3050.7
25.08	N/A	3145.4	3101.0	3071.8	3048.8
25.09	N/A	3143.4	3099.2	3070.0	3047.0
25.10	N/A	3141.5	3097.4	3068.1	3045.2
25.11	N/A	3139.6	3095.6	3066.3	3043.3
25.12	N/A	3137.6	3093.8	3064.4	3041.5
25.13	N/A	3135.7	3092.0	3062.6	3039.6
25.14	N/A	3133.8	3090.2	3060.8	3037.8
25.15	N/A	3131.9	3088.4	3058.9	3035.9
25.16	N/A	3129.9	3086.6	3057.1	3034.1
25.17	N/A	3128.0	3084.8	3055.3	3032.2
25.18	N/A	3126.1	3083.0	3053.4	3030.4
25.19	N/A	3124.1	3081.2	3051.6	3028.5
25.20	N/A	3122.2	3079.4	3049.8	3026.7
25.21	N/A	3120.3	3077.6	3047.9	3024.8
25.22	N/A	3118.4	3075.8	3046.1	3023.0
25.23	N/A	3116.4	3074.0	3044.2	3021.1
25.24	N/A	3114.5	3072.2	3042.4	3019.3
25.25	N/A	3112.6	3070.4	3040.6	3017.4
25.26	N/A	3110.6	3068.6	3038.7	3015.6
25.27	N/A	3108.7	3066.8	3036.9	3013.7
25.28	N/A	3106.8	3065.0	3035.1	3011.9
25.29	N/A	3104.9	3063.2	3033.2	3010.0
25.30	N/A	3102.9	3061.4	3031.4	3008.2
25.31	N/A	3101.0	3059.6	3029.6	3006.3
25.32	N/A	3099.1	3057.8	3027.7	3004.5
25.33	3182.0	3097.1	3056.0	3025.9	3002.6
25.34	3179.8	3095.2	3054.2	3024.0	3000.8
25.35	3177.7	3093.3	3052.4	3022.2	2998.9

TempTab 700

Batch SSK

(2642-3182)

===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
25.36	3175.5	3091.4	3050.6	3020.4	2997.1
25.37	3173.4	3089.4	3048.8	3018.5	2995.2
25.38	3171.2	3087.5	3045.2	3016.7	2993.4
25.39	3169.1	3085.6	3043.4	3014.9	2991.5
25.40	3166.9	3083.6	3041.6	3013.0	2989.7
25.41	3164.8	3081.7	3039.8	3011.2	2987.8
25.42	3162.6	3079.8	3038.0	3009.3	2986.0
25.43	3160.5	3077.9	3036.2	3007.5	2984.1
25.44	3158.3	3075.9	3034.4	3005.7	2982.3
25.45	3156.2	3074.0	3032.6	3003.8	2980.4
25.46	3154.0	3072.1	3030.8	3002.0	2978.6
25.47	3151.9	3070.1	3029.0	3000.2	2976.7
25.48	3149.7	3068.2	3027.2	2998.3	2974.9
25.49	3147.6	3066.3	3025.4	2996.5	2973.0
25.50	3145.4	3064.4	3023.6	2994.7	2971.2
25.51	3143.3	3062.4	3021.8	2992.8	2969.3
25.52	3141.1	3060.5	3020.0	2991.0	2967.5
25.53	3139.0	3058.6	3018.2	2989.1	2965.6
25.54	3136.8	3056.6	3016.4	2987.3	2963.8
25.55	3134.7	3054.7	3014.6	2985.5	2961.9
25.56	3132.5	3052.8	3012.8	2983.6	2960.1
25.57	3130.4	3050.9	3011.0	2981.8	2958.2
25.58	3128.2	3048.9	3009.2	2980.0	2956.4
25.59	3126.1	3047.0	3007.4	2978.1	2954.5
25.60	3123.9	3045.1	3005.6	2976.3	2952.7
25.61	3121.8	3043.1	3003.8	2974.5	2950.8
25.62	3119.6	3041.2	3002.0	2972.6	2949.0
25.63	3117.5	3039.3	3000.2	2970.8	2947.1
25.64	3115.3	3037.4	2998.4	2968.9	2945.3
25.65	3113.2	3035.4	2996.6	2967.1	2943.4
25.66	3111.0	3033.5	2994.8	2965.3	2941.6
25.67	3108.9	3031.6	2993.0	2963.4	2939.7
25.68	3106.7	3029.6	2991.2	2961.6	2937.9
25.69	3104.6	3027.7	2989.4	2959.8	2936.0
25.70	3102.4	3025.8	2987.6	2957.9	2934.2
25.71	3100.2	3023.9	2985.8	2956.1	2932.3
25.72	3098.1	3021.9	2984.0	2954.2	2930.5
25.73	3095.9	3020.0	2982.2	2952.4	2928.6
25.74	3093.8	3018.1	2980.4	2950.6	2926.8
25.75	3091.6	3016.1	2978.6	2948.7	2924.9
25.76	3089.5	3014.2	2976.8	2946.9	2923.1
25.77	3087.3	3012.3	2975.0	2945.1	2921.2
25.78	3085.2	3010.4	2973.2	2943.2	2919.4
25.79	3083.0	3008.4	2971.4	2941.4	2917.5
25.80	3080.9	3006.5	2969.6	2939.6	2915.7
25.81	3078.7	3004.6	2967.8	2937.7	2913.8
25.82	3076.6	3002.6	2966.0	2935.9	2912.0
25.83	3074.4	3000.7	2964.2	2934.0	2910.1
25.84	3072.3	2998.8	2962.4	2932.2	2908.3
25.85	3070.1	2996.9	2960.6	2930.4	2906.5

TempTab 700

Batch SSK

(2642-3182)

===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
25.86	3068.0	2994.9	2958.8	2928.5	2904.6
25.87	3065.8	2993.0	2955.2	2926.7	2902.8
25.88	3063.7	2991.1	2953.4	2924.9	2900.9
25.89	3061.5	2989.1	2951.6	2923.0	2899.1
25.90	3059.4	2987.2	2949.8	2921.2	2897.2
25.91	3057.2	2985.3	2948.0	2919.3	2895.4
25.92	3055.1	2983.4	2946.2	2917.5	2893.5
25.93	3052.9	2981.4	2944.4	2915.7	2891.7
25.94	3050.8	2979.5	2942.6	2913.8	2889.8
25.95	3048.6	2977.6	2940.8	2912.0	2888.0
25.96	3046.5	2975.6	2939.0	2910.2	2886.1
25.97	3044.3	2973.7	2937.2	2908.3	2884.3
25.98	3042.2	2971.8	2935.4	2906.5	2882.4
25.99	3040.0	2969.9	2933.6	2904.7	2880.6
26.00	3037.9	2967.9	2931.8	2902.8	2878.7
26.01	3035.7	2966.0	2930.0	2901.0	2876.9
26.02	3033.6	2964.1	2928.2	2899.1	2875.0
26.03	3031.4	2962.1	2926.4	2897.3	2873.2
26.04	3029.3	2960.2	2924.6	2895.5	2871.3
26.05	3027.1	2958.3	2922.8	2893.6	2869.5
26.06	3025.0	2956.4	2921.0	2891.8	2867.6
26.07	3022.8	2954.4	2919.2	2890.0	2865.8
26.08	3020.6	2952.5	2917.4	2888.1	2863.9
26.09	3018.5	2950.6	2915.6	2886.3	2862.1
26.10	3016.3	2948.6	2913.8	2884.5	2860.2
26.11	3014.2	2946.7	2912.0	2882.6	2858.4
26.12	3012.0	2944.8	2910.2	2880.8	2856.5
26.13	3009.9	2942.9	2908.4	2878.9	2854.7
26.14	3007.7	2940.9	2906.6	2877.1	2852.8
26.15	3005.6	2939.0	2904.8	2875.3	2851.0
26.16	3003.4	2937.1	2903.0	2873.4	2849.1
26.17	3001.3	2935.1	2901.2	2871.6	2847.3
26.18	2999.1	2933.2	2899.4	2869.8	2845.4
26.19	2997.0	2931.3	2897.6	2867.9	2843.6
26.20	2994.8	2929.4	2895.8	2866.1	2841.7
26.21	2992.7	2927.4	2894.0	2864.2	2839.9
26.22	2990.5	2925.5	2892.2	2862.4	2838.0
26.23	2988.4	2923.6	2890.4	2860.6	2836.2
26.24	2986.2	2921.6	2888.6	2858.7	2834.3
26.25	2984.1	2919.7	2886.8	2856.9	2832.5
26.26	2981.9	2917.8	2885.0	2855.1	2830.6
26.27	2979.8	2915.9	2883.2	2853.2	2828.8
26.28	2977.6	2913.9	2881.4	2851.4	2826.9
26.29	2975.5	2912.0	2879.6	2849.6	2825.1
26.30	2973.3	2910.1	2877.8	2847.7	2823.2
26.31	2971.2	2908.2	2876.0	2845.9	2821.4
26.32	2969.0	2906.2	2874.2	2844.0	2819.5
26.33	2966.9	2904.3	2872.4	2842.2	2817.7
26.34	2964.7	2902.4	2870.6	2840.4	2815.8
26.35	2962.6	2900.4	2868.8	2838.5	2814.0

TempTab 700

Batch SSK

(2642-3182)

===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
26.36	2960.4	2898.5	2865.2	2836.7	2812.1
26.37	2958.3	2896.6	2863.4	2834.9	2810.3
26.38	2956.1	2894.7	2861.6	2833.0	2808.4
26.39	2954.0	2892.7	2859.8	2831.2	2806.6
26.40	2951.8	2890.8	2858.0	2829.3	2804.7
26.41	2949.7	2888.9	2856.2	2827.5	2802.9
26.42	2947.5	2886.9	2854.4	2825.7	2801.0
26.43	2945.4	2885.0	2852.6	2823.8	2799.2
26.44	2943.2	2883.1	2850.8	2822.0	2797.3
26.45	2941.0	2881.2	2849.0	2820.2	2795.5
26.46	2938.9	2879.2	2847.2	2818.3	2793.6
26.47	2936.7	2877.3	2845.4	2816.5	2791.8
26.48	2934.6	2875.4	2843.6	2814.7	2789.9
26.49	2932.4	2873.4	2841.8	2812.8	2788.1
26.50	2930.3	2871.5	2840.0	2811.0	2786.2
26.51	2928.1	2869.6	2838.2	2809.1	2784.4
26.52	2926.0	2867.7	2836.4	2807.3	2782.5
26.53	2923.8	2865.7	2834.6	2805.5	2780.7
26.54	2921.7	2863.8	2832.8	2803.6	2778.8
26.55	2919.5	2861.9	2831.0	2801.8	2777.0
26.56	2917.4	2859.9	2829.2	2800.0	2775.1
26.57	2915.2	2858.0	2827.4	2798.1	2773.3
26.58	2913.1	2856.1	2825.6	2796.3	2771.5
26.59	2910.9	2854.2	2823.8	2794.5	2769.6
26.60	2908.8	2852.2	2822.0	2792.6	2767.8
26.61	2906.6	2850.3	2820.2	2790.8	2765.9
26.62	2904.5	2848.4	2818.4	2788.9	2764.1
26.63	2902.3	2846.4	2816.6	2787.1	2762.2
26.64	2900.2	2844.5	2814.8	2785.3	2760.4
26.65	2898.0	2842.6	2813.0	2783.4	2758.5
26.66	2895.9	2840.7	2811.2	2781.6	2756.7
26.67	2893.7	2838.7	2809.4	2779.8	2754.8
26.68	2891.6	2836.8	2807.6	2777.9	2753.0
26.69	2889.4	2834.9	2805.8	2776.1	2751.1
26.70	2887.3	2832.9	2804.0	2774.2	2749.3
26.71	2885.1	2831.0	2802.2	2772.4	2747.4
26.72	2883.0	2829.1	2800.4	2770.6	2745.6
26.73	2880.8	2827.2	2798.6	2768.7	2743.7
26.74	2878.7	2825.2	2796.8	2766.9	2741.9
26.75	2876.5	2823.3	2795.0	2765.1	2740.0
26.76	2874.4	2821.4	2793.2	2763.2	2738.2
26.77	2872.2	2819.4	2791.4	2761.4	2736.3
26.78	2870.1	2817.5	2789.6	2759.6	2734.5
26.79	2867.9	2815.6	2787.8	2757.7	2732.6
26.80	2865.8	2813.7	2786.0	2755.9	2730.8
26.81	2863.6	2811.7	2784.2	2754.0	2728.9
26.82	2861.4	2809.8	2782.4	2752.2	2727.1
26.83	2859.3	2807.9	2780.6	2750.4	2725.2
26.84	2857.1	2805.9	2778.8	2748.5	2723.4
26.85	2855.0	2804.0	2775.2	2746.7	2721.5

TempTab 700

Batch SSK

(2642-3182)

===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
26.86	2852.8	2802.1	2773.4	2744.9	2719.7
26.87	2850.7	2800.2	2771.6	2743.0	2717.8
26.88	2848.5	2798.2	2769.8	2741.2	2716.0
26.89	2846.4	2796.3	2768.0	2739.4	2714.1
26.90	2844.2	2794.4	2766.2	2737.5	2712.3
26.91	2842.1	2792.4	2764.4	2735.7	2710.4
26.92	2839.9	2790.5	2762.6	2733.8	2708.6
26.93	2837.8	2788.6	2760.8	2732.0	2706.7
26.94	2835.6	2786.7	2759.0	2730.2	2704.9
26.95	2833.5	2784.7	2757.2	2728.3	2703.0
26.96	2831.3	2782.8	2755.4	2726.5	2701.2
26.97	2829.2	2780.9	2753.6	2724.7	2699.3
26.98	2827.0	2778.9	2751.8	2722.8	2697.5
26.99	2824.9	2777.0	2750.0	2721.0	2695.6
27.00	2822.7	2775.1	2748.2	2719.1	2693.8
27.01	2820.6	2773.2	2746.4	2717.3	2691.9
27.02	2818.4	2771.2	2744.6	2715.5	2690.1
27.03	2816.3	2769.3	2742.8	2713.6	2688.2
27.04	2814.1	2767.4	2741.0	2711.8	2686.4
27.05	2812.0	2765.4	2739.2	2710.0	2684.5
27.06	2809.8	2763.5	2737.4	2708.1	2682.7
27.07	2807.7	2761.6	2735.6	2706.3	2680.8
27.08	2805.5	2759.7	2733.8	2704.5	2679.0
27.09	2803.4	2757.7	2732.0	2702.6	2677.1
27.10	2801.2	2755.8	2730.2	2700.8	2675.3
27.11	2799.1	2753.9	2728.4	2698.9	2673.4
27.12	2796.9	2751.9	2726.6	2697.1	2671.6
27.13	2794.8	2750.0	2724.8	2695.3	2669.7
27.14	2792.6	2748.1	2723.0	2693.4	2667.9
27.15	2790.5	2746.2	2721.2	2691.6	2666.0
27.16	2788.3	2744.2	2719.4	2689.8	2664.2
27.17	2786.1	2742.3	2717.6	2687.9	2662.3
27.18	2784.0	2740.4	2715.8	2686.1	2660.5
27.19	2781.8	2738.4	2714.0	2684.2	2658.6
27.20	2779.7	2736.5	2712.2	2682.4	2656.8
27.21	2777.5	2734.6	2710.4	2680.6	2654.9
27.22	2775.4	2732.7	2708.6	2678.7	2653.1
27.23	2773.2	2730.7	2706.8	2676.9	2651.2
27.24	2771.1	2728.8	2705.0	2675.1	2649.4
27.25	2768.9	2726.9	2703.2	2673.2	2647.5
27.26	2766.8	2724.9	2701.4	2671.4	2645.7
27.27	2764.6	2723.0	2699.6	2669.6	2643.8
27.28	2762.5	2721.1	2697.8	2667.7	2642.0
27.29	2760.3	2719.2	2696.0	2665.9	N/A
27.30	2758.2	2717.2	2694.2	2664.0	N/A
27.31	2756.0	2715.3	2692.4	2662.2	N/A
27.32	2753.9	2713.4	2690.6	2660.4	N/A
27.33	2751.7	2711.4	2688.8	2658.5	N/A
27.34	2749.6	2709.5	2685.2	2656.7	N/A
27.35	2747.4	2707.6	2683.4	2654.9	N/A

TempTab 700

Batch SSK

(2642-3182)

===== Sintering Schedule =====

Dimension	10 Minutes	30 Minutes	60 Minutes	120 Minutes	240+ Minutes
27.36	2745.3	2705.7	2681.6	2653.0	N/A
27.37	2743.1	2703.7	2679.8	2651.2	N/A
27.38	2741.0	2701.8	2678.0	2649.4	N/A
27.39	2738.8	2699.9	2676.2	2647.5	N/A
27.40	2736.7	2697.9	2674.4	2645.7	N/A
27.41	2734.5	2696.0	2672.6	2643.8	N/A
27.42	2732.4	2694.1	2670.8	2642.0	N/A
27.43	2730.2	2692.2	2669.0	N/A	N/A
27.44	2728.1	2690.2	2667.2	N/A	N/A
27.45	2725.9	2688.3	2665.4	N/A	N/A
27.46	2723.8	2686.4	2663.6	N/A	N/A
27.47	2721.6	2684.4	2661.8	N/A	N/A
27.48	2719.5	2682.5	2660.0	N/A	N/A
27.49	2717.3	2680.6	2658.2	N/A	N/A
27.50	2715.2	2678.7	2656.4	N/A	N/A
27.51	2713.0	2676.7	2654.6	N/A	N/A
27.52	2710.9	2674.8	2652.8	N/A	N/A
27.53	2708.7	2672.9	2651.0	N/A	N/A
27.54	2706.5	2670.9	2649.2	N/A	N/A
27.55	2704.4	2669.0	2647.4	N/A	N/A
27.56	2702.2	2667.1	2645.6	N/A	N/A
27.57	2700.1	2665.2	2643.8	N/A	N/A
27.58	2697.9	2663.2	2642.0	N/A	N/A
27.59	2695.8	2661.3	N/A	N/A	N/A
27.60	2693.6	2659.4	N/A	N/A	N/A
27.61	2691.5	2657.4	N/A	N/A	N/A
27.62	2689.3	2655.5	N/A	N/A	N/A
27.63	2687.2	2653.6	N/A	N/A	N/A
27.64	2685.0	2651.7	N/A	N/A	N/A
27.65	2682.9	2649.7	N/A	N/A	N/A
27.66	2680.7	2647.8	N/A	N/A	N/A
27.67	2678.6	2645.9	N/A	N/A	N/A
27.68	2676.4	2643.9	N/A	N/A	N/A
27.69	2674.3	2642.0	N/A	N/A	N/A
27.70	2672.1	N/A	N/A	N/A	N/A
27.71	2670.0	N/A	N/A	N/A	N/A
27.72	2667.8	N/A	N/A	N/A	N/A
27.73	2665.7	N/A	N/A	N/A	N/A
27.74	2663.5	N/A	N/A	N/A	N/A
27.75	2661.4	N/A	N/A	N/A	N/A
27.76	2659.2	N/A	N/A	N/A	N/A
27.77	2657.1	N/A	N/A	N/A	N/A
27.78	2654.9	N/A	N/A	N/A	N/A
27.79	2652.8	N/A	N/A	N/A	N/A
27.80	2650.6	N/A	N/A	N/A	N/A
27.81	2648.5	N/A	N/A	N/A	N/A
27.82	2646.3	N/A	N/A	N/A	N/A
27.83	2644.2	N/A	N/A	N/A	N/A
27.84	2642.0	N/A	N/A	N/A	N/A